G R S 58]

Previous references

A [illegible]

[illegible]

Later references

Mc 78 10 576

" (758)

Mc 58-12

2 vols

Mc 199-13 SR 1012

Mc (1019-17) 87

GENERAL AND REVENUE SECRETARIAT

File No 78

Serial Nos 1–4

1910.

(Municipal)

Serial Nos 1– 4

Part B for 7 Feb 4, 1911

SUBJECT

Water Supply to Harihar town

From the Dy Comr, Chitaldrug, no 32 S 23 7 10 Requests sanction to the Harihar town Municipal Council's proposal to take over charge of the water works from the P.W.D, the water-Supply Ex. Engr or the Asst Engr inspecting the machinery once in a year

To Do, no 3239 S 6 10 10 Requests him to report whether the Harihar Municipality is prepared to assume full responsibility for maintainance of the water works

From Do, no 288 S 24 1 11, Submits a copy of the resolution of the Harihar Municipal Board stating that the water works do continue to be in charge of the D.P.W. until sufficient experience is gained of the working etc of the machinery

GPH—5,000—22-10-10

RS 11] 1910-14

GENERAL AND REVENUE SECRETARIAT

(Mc.)

NOTES

File No 78-10

FILE HEADING

Water supply to Harihar town

From

The Dy. Comr., Chitaldrug Dt.

No 32 Dated 23.7.10 Received 25.7.10

Diary No 602 | Enclos 1 | Spare Copies — | Serial No 1

BRIEF ABSTRACT OF LETTER

Requests sanction to the Harihar town Municipal Council's proposal to take over charge of the water works from the P.W.D. with effect from the current official year the Water supply Engineer to the Assistt. Engr. in-charge the machinery half yearly or once in a year

NOTES AND ORDERS

5 Attention is respectfully invited to Mr. Hutchins's D.O. note of the 9th June 1909 on the subject. In the Municipal Council's opinion it is cheaper for them to manage the water works themselves. The present Chief Engineer

Note—First sheet

GPB—30 000—3.1.07

G R. S 12]
General and Revenue Secretariat

604

M File No 78 of 1910

Serial No

Engineer, May, it is respectfully submitted, be consulted w O. as to whether the works are now in a fit condition and can be transferred to the Municipality without any risk

MM 29/7

29/7/10 2 Forwarded to the Chief Engineer for favour of opinion as regards the proposal

By order
K Nufarullao
30 7 10 For Secretary

Wo no 168
30 7 10

Ord. 138 P W D
3/10

3 There is no objection to the transfer of the water works to the Harihar Municipality as desired by that Body and the President of the Municipalities, Chitaldrug District The transfer may be effected in communication with the Executive Engineer, Water Supply and Stores Division A copy of the Ex Engineer's letter drawing attention to the responsibilities involved is attached

W 29/9

II A 27/10

for

Note—Contn sheet

30,000—27 4 10

E
General and Revenue Secretariat

Dl File No. 78 of 1910

Serial No.

for information Perhaps Government may wish to communicate it to the Municipality -

4 The Harihar Municipality should assume full responsibility for maintaining the works in proper working order -

Bangalore,
16th Sept 1910

R Cadell
Chief Engineer
HM

sheet

GPB—1,000—27-4-09

(4

Letter No.593 dated 18th August 1910 from the Executive Engineer, Water Supply & Stores Division, to the Chief Engineer of Mysore.

---

your un-official No.142/P.W.D. of the 12th instant forwarding for my opinion copy of letter No.32 of 23rd July 1910 from the President of Municipalities, Chitaldrug District to the Secretary to Government, General and Revenue Departments regarding the transfer of the water supply at Harihar from the charge of the Water Supply Department to that of Harihar Municipality.

With reference to the above, I have the honour to report as follows -

According to clause 3 of Chief Engineer Col.Campbell's note read in the Government Proceedings No.178-95/972-94 dated the 8th February 1904, sanctioning the formation of the "Water Supply & Stores Division", this Division has to be in charge of all the Pumping Machinery, even in cases where the water supply is handed over to the Municipality.

In the case of Harihar, the Pumping Machinery has to be under our charge unless the Government orders otherwise.

As the Water Supply is such a small one, it will not be worthwhile trying to split it into two i.e , Pumping Machinery and Distribution. It must be under one Department

From the tone of the Municipal resolution, it would appear as if this Division was asking a favour of in being allowed to keep it under its charge for a year. On the other hand, it was a favour shown to them for which the people of

Harihar ought to be grateful. If they are willing to manage it and if the Government orders it, I have nothing to say against the proposal It is no doubt desirable to encourage thrift and self help But I am doubtful if the good people of Harihar are yet fit for it The Deputy Amildar will ere long find his charge a troublesome one If the works are to be handed over, they must be distinctly informed that the full responsibility of maintaining the plant will rest on their shoulders and that this Department will no doubt help them, now and then, but that the Municipality should not be led to believe that as a matter of right they can call upon this Department for help in their hour of need I am led to believe that the people of Harihar have got accustomed to see the tanks full of water every day apparently without any great effort by this Department They believe they can quite as well manage the show themselves They also believe that the have only to get a Driver and give him the oil and the tanks must go on filling every day Let them try and they will realize for themselves what troubles they have in store

Copy

Deputy Chief Engr
Mysore P W D

Serial No

5 File resubmitted for orders

MAA mg
22/9 6 The Chief Engineer has forwarded say there is no objection to the transfer of the water-works to the Hanhar Municipality as desired by that body & the Resdt of the Municipalities Chitaldrug &c., only in case the Hanhar municipality assumes the full responsibility of maintaining the works in proper working order. The Resdt of the Municipalities, Chitaldrug &c. may be Consulted whether the Hanhar Municipality of he will be willing to take the responsibility of working & maintaining the water works -

NTK.
23-9-

7 What arrangements will the Municipality make for looking after the water works, keeping them in order and maintaining them in efficient condition? Mlle

11/9/10
9/9/10

8 The opinion of the Ex. Engineer, Water Supply and Sewerage Dn., is evidently that the duty of maintaining the water works should not devolve on the

GPB—55,000—27-4-09

Serial No.

the Municipality. Houses, as limited in the Chief Engineers D.O. note, draft forwarding Copy of Ex. Engineers letter for the information of the Harbour Municipal Board and calling for additional information in the matter is submitted

Mdg 9/10 Crs 28 9-10 Secy

27/9

944
30 9 10

To Approved Mdg
28/9/10

" Issue
30 9 10 Secy

2 To the Dy Comr, Chittagong Dy C- No 3239 dy 6 10 1910

Regrets the Dy Comr - to report as to the the Harbour Municipality is prepared to assume full responsibility for maintaining the water works in proper working order

3 From the Dy Comr, Chittagong Dy C- No 2888 dy 21 1 1911.

Submits a copy of the resolution of the Harbour Municipal Board stating that the water works do continue to be in charge of the D.O.W. as it does not seem advisable for them to assume the [illegible]

Serial No.

full responsibility of maintaining the plant in proper order & requests sanction for the continuance of the work in charge of the said Officer until sufficient experience is gained of the working etc of the machinery connected therewith.

12. Draft order sanctioning the [illegible] present arrangement until further orders & requesting the Dy Comr to report at the end of May 1912 if the arrangement requires any modification to be made for approval of the orders.

HHK 30 Aug 1911 12-11 Mll

31.1.1911

approved Mll
7/2/11

Secn
8.2.11 Mll

4 To the Dy Comr Chittagong Dy Chief Engr the Comptroller the Comptroller Dy & Ry Branch
No 6774-78 dt 13.2.11

Directs that the arrangements ordered in the proceedings of the 28 June 1909 & Continue until

G R S 12]
General and Revenue Secretariat

File No 78 of 19 10

Serial No

Further orders Request the Deputy Commissioner Chital Dr to report at the end of May 1912 if the arrangement for the charge of water works requires any modification

Note—Contn sheet

GPB—50 00 —12 8-10

1870

From

The President & Members
Chitaldroog District

To

The Secretary to the Govt of Mysore
General Revenue Dept

Dated Bangalore

Despatched 23rd July 1870

Received

General No. 32

No.

Enclosure No.

Submitting the Boards
resolution in the matter of
taking Charge of the water
works at Harihar by the
Municipality and Suggesting
the desirability of placing
the Officer in Charge of
the Water Works under the
Control of the Deputy Commr

9032/
Gen/

Office of the President of Municipalities
Chitaldrug District
Dated Chitaldrug 23rd July 1910

From

D 604

Rect. 7-8-10
10-1

M. Chengiah Chetty, Esquire, B.A
President of Municipalities
Chitaldrug District.

To

C.S. Balasundaram Iyer, Esquire, B.A,
Offg Secretary to the Government of His Highness
the Maharaja of Mysore
General & Revenue Department
Bangalore

Sir,

Adverting to Government Order No. 13100-3
Mbs. 306-08-10 dated the 28th June '09 directing
that Harihar town water works do continue
to be in charge of the Public Works Department
till the end of June 1910, I have the honor
to state that the Municipal Board of
the town have in their meeting convened
on 31st May 1910, resolved to take over
Charge of the above water works with
effect from the current official year
As originally proposed the water works
were in charge of the Department of
Public Works for sufficiently long
period

and they had every chance of seeing, if any improvements and alterations were needed to the machinery &c The Municipality is now able to manage the water works

The Water Supply Executive Engineer or Assistant Engineer may come and inspect the machinery at any time half yearly or once in a year.

I am told that the Assistant Engineer inspected the water works in August last

The officer in charge is a low paid official, and as such it is desirable that the Deputy Builder who is on the spot should have control over the working of the water supply to this town

I request that you will, therefore, be so good as to move the Government to sanction the above proposal

A Copy of the Board's resolution on the Subject is, herewith, Submitted.

I have the honor to be,
Sir
Your most Obedient Servant

President of Municipalities
Chutalong District

[illegible]
31. 8. 60

President N Subba Rao Esquire B.A. Present.
Vice-President. Mr B Gavindappa do

Ex-officio members. 1 The medical officer, Hankal. Present.
2 The D P W Sub-Dn officer, Holalkere absent

Non official members - 1	Mr Balakrishna Rao	Present
2	Balaji Rao	do
3	Ramappa	do
4	Govindappa	do
5	Murugappa	do
6	Mahalingappa	do
7	Ausfudeen Saheb	do
8	Chennabasappa	do

x x x x x
x x x x x

[illegible]
1568
5-5-60

[illegible]

x x x x x

Sd/ N Subba Rao
President

'Extract'

Vice President

GRS 29A 7b/10. 1910-1914

From

Secy to the Govt of His Highness
The Maharaja of Mysore,
Genl and Rev Dept

To The Deputy Commr
Chitaldroog

Dated

Despatched 6 10-10

Received

General No 3239

No mil 7810-2

Enclosure No/

His letr no 32 dated the 23rd July 1910 requesting sanction to the Harihar town Municipal Council's proposal to take over charge of the water works from the P.W. Deptt.

Referring to the above has the honour to forward herewith for the information

GPB—10,000—9 4 06

Dy Commr and the
of the Manchester Munb:
Board Copy of letter No
593 dated the 18th Inst. is
from the Executive Engr,
Water Supply and Storage &
to the Chief Engr of Improve
on the subject and to
request the Dy Com'r to
be so good as to report
whether the Manchester
Municipality is prepared
to assume full re-
sponsibility for main-
taining the works in
proper working order &
and if so, what arrange-
ments will they propose
to make for so main-
taining the works in
an efficient condition and whether in the Dy
Comm's Opinion such
arrangements are
sufficient

By order

K.L.N
29/12/10

Jadeth
27/12/10

From The President
Municipality
Chittagong

To The Secretary to Govt
Land & Rev Dept
Bengal

Dated 24th
Despatched 25 January 1911
Received
General No. 285
No.

Enclosure No.

Hatim that the Harbour
boats works may
continue to be in charge
of the D.P.W. until
experience is gained

D. C.

1 No 288/Gen/ Office of the President of Municipalities Chitaldrug District dated Chitaldrug, 24th January 1911.

From

K Chandy, Esqre, B.A
M.L. 78-10-2 President of Municipalities
Chitaldrug District

To

C S Balasundaram Iyer, Esqre, B.A.
Offg. Secretary to the Government of
His Highness the Maharaja of Mysore
Revenue Department
Bangalore

Sir,

Adverting to your docket No 3239 — Mel 78-10-2 dated 6th October last re the management of Harihar Waterworks I have the honor to submit herewith a copy of the resolution passed by the Municipal Council of Harihar town and to state that on a further consideration of the matter they have arrived at a conclusion that the Water works do continue to be in charge of the P.W.D. as it does not seem advisable for them to assume the

full responsibility of maintaining the Plant in proper order I agree with the opinion of the Council

It is reported that the works are being hitherto managed in an efficient Condition under the Supervision of the Water Supply and Stores Division, Executive Engineer

I therefore request that Sanction may kindly be accorded for the Continuance of the Work in the Charge of the said Officer until sufficient experience is gained of the working etc of the Machinery Connected therewith

I have the honour to be
Sir,
Your most Obedient Servant

J. V. Ramaker per
Resident & Municipal Commissioner
Chittagong

Hariharan Town Municipal meeting 22 12 [illegible]

Present - J Rajalu Chetty. Esqre Asstt Commr
in charge of Davangere Subdn. Presidt

Vice President :: P. Soundararajappa Esqre. B.A
Deputy Amildar } Present

Present Absent

Ex-officio members

The Hospital Assistant Hariharan

I D P W Sub Divn officer Harihar.

Non-official members

1. Mr. J Balaji Rao
2. Mr. R Govindappa
3. R Ramappa
4. H Chennabasappa
5. Shanfudeensab
6. J Murigappa
7. M Mahalingappa
8. Balavishwanath Rao

x x x x x x

x x x x x x

Executive Engineer ಅವರಿಗೆ
Engineer ಕಾರ್ಯನಿರ್ವಹಣೆಯ
ಬಗ್ಗೆ ಕೆಲವು ಸದಸ್ಯರು ಅಸಮಾಧಾನ
ಆಗಾಗ ವ್ಯಕ್ತಪಡಿಸುತ್ತಿರುವುದರಿಂದ
ಸಭೆಯ ಅಭಿಪ್ರಾಯವನ್ನು ತಿಳಿಸಲು
ಸೂಚಿಸಿದರು. ಈ ವಿಷಯವಾಗಿ
ಮಾತನಾಡಿದ ಸದಸ್ಯರು ಕೆಲವು
ಸಲಹೆಗಳನ್ನು ನೀಡಿದರು. ಅವುಗಳಲ್ಲಿ
ಮುಖ್ಯವಾದವು ಈ ಕೆಳಕಂಡಂತಿವೆ.

1. ಕಾರ್ಯನಿರ್ವಹಣೆಯ ಬಗ್ಗೆ ಸದಸ್ಯರಿಂದ
ಬರುವ ಅಭಿಪ್ರಾಯಗಳನ್ನು Executive
Engineer ಅವರು ಸಮಾಧಾನದಿಂದ
ಕೇಳಿಸಿಕೊಳ್ಳಬೇಕು.
2. ಕೆಲಸಗಳ ಅಂದಾಜುಪಟ್ಟಿಯನ್ನು
ತಯಾರಿಸುವಾಗ ಸದಸ್ಯರ ಸಲಹೆಯನ್ನು
ಪಡೆಯಬೇಕು.
3. ಕೆಲಸಗಳ ಮೇಲ್ವಿಚಾರಣೆಗೆ
ಹೆಚ್ಚಿನ ಸಿಬ್ಬಂದಿಯನ್ನು ನೇಮಿಸಬೇಕು.
4. ಕೆಲಸಗಳ ಮೇಲ್ವಿಚಾರಣೆಗೆ
ಅಗತ್ಯವಾದ machinery ಮತ್ತು
ಸಲಕರಣೆಗಳನ್ನು ಒದಗಿಸಬೇಕು.
5. ಕೆಲಸಗಳ ಮೇಲ್ವಿಚಾರಣೆಗೆ
ಸಾಕಷ್ಟು Supervisor
ಗಳನ್ನು ನೇಮಿಸಬೇಕು.

ಈ ಸಲಹೆಗಳನ್ನು ಪರಿಶೀಲಿಸಿ
ಅವುಗಳಲ್ಲಿ ಅನುಷ್ಠಾನಕ್ಕೆ ಬರಬಹುದಾದ
ಅಂಶಗಳನ್ನು ಅನುಷ್ಠಾನಕ್ಕೆ ತರಲು
ಸಂಬಂಧಪಟ್ಟ Engineer
ರವರಿಗೆ manage ಮಾಡಲು
ಸೂಚಿಸಲಾಯಿತು ಮತ್ತು ಅಲ್ಲಿಗೆ
ಸಭೆಯು ಮುಕ್ತಾಯವಾಯಿತು.

x x x x x

Sd/ J. Rajalingheltty.
President.

Exhact'

S. Soundaranayya
Vice President.

ಸಭೆಯು ಮಧ್ಯಾಹ್ನ 1 ಗಂಟೆಗೆ
ಮುಕ್ತಾಯವಾಯಿತು.

G R S. 28]

11

78

File No. 10

Serial No. 4

Diary No of letter replied to 4903

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT

(Revenue)

, the 19

Date of issue 13.3.11

Signed by M.R.

READ—

GO No 13100-3 Rev 306-08-10 dt the 28th June 1909 directing that the Harihar Water Works do continue to be in charge of the O N D till the end of June 1910 and that the maintenance charge debitable to the Revenue funds of Harihar and the Dist. Funds of Chitaldroog be limited to Rs 3250, the Asst & Mr. Roberts being relieved of the usual charges on account of Establishment and Tools and Plant

2 GO No Correspondence ending with letter No 288 dt the

over

ORDER THEREON—No.

SUBJECT

GPS—10,000—2-12-09

the 24th Jany 1911 from the Dy Comr Chittaloorg Dist requesting sanction as resolved by the Harihar Municl Council, for the continuance of the Harihar water works in the charge of the Exr Engr of the Water Supply and Sewers Division until sufficient experience is gained of the working, etc of the machinery &c connected therewith

Order thereon No 6774-1 dy 13.2.11.
ml 28-10-

Govt are pleased to direct that the arrangements ordered in the Orders of the 28th June 1909 read above do continue until further orders

2 The Dy Comr, Chittaloorg Dist, will report at the end of May 1912 as regards the arrangements for the charge of the water works, if any modification requires that may be found necessary

HWK
7/2/11

HWK 80
31.1.1911

Sd/-
for Offg Secy
30.1.11

To The Dy Comr, Chittaloorg
" Chief Engr
" Comptr
" Chief Engr & Secy PWD

>: , the Engr, Comptr, comptr (P.W. & Rly Br), no 6774-7 δ ,211
records that the arrangements re the Harehar Water
works ordered on the 28th June 04, do continue and
requests the Dy Comr to report at the end of May
if the above arrangements require any modification.

19